


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

1/13


FIG. 1



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

2/13


FIG. 2



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

3/13

FIG. 3




66E080" 01089E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

4/13

FIG. 4



6/13

66E080" 01089E60





FIG. 6


7/13

66E030" 07039E60

FIG. 7




oxime: $\lambda = 10.0$



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

66E090" 07089E60


FIG. 8





APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

9/13

FIG. 9



10/13



PPM

FIG. 10

66E030" 07089E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

11/13

FIG. 11






FIG. 15



0966010-080366

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

12/13




FIG. 12

FIG. 13





FIG. 14



003901089900

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

13/13




FIG. 16

0936080" 07089E60